

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

Issue date: 14/07/2025

Revision date: 14/7/2025

Supersedes:

Version: 1.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1. Product identifier

Name Renolit LX P LT (formerly Gearmaster LXG 0)
Product form Mixture
Product code BU ET&A

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Lubricant
Restrictions on use For professional use only

1.4. Supplier details

Supplier

FUCHS LUBRICANTS GERMANY GmbH
Friesenheimer Str. 19
68169 Mannheim
Germany
T +49 621 3701-0
produktsicherheit-FLG@fuchs.com

Department issuing data specification sheet

Hilti AG
Feldkircherstraße 100
9494 Schaan
Liechtenstein
T +423 234 2111
product.compliance-power.tools@hilti.com

1.5. Emergency phone number

Emergency number GBK GmbH Global Regulatory Compliance
+49 (0)6132-84463

Country	Organisation/Company	Address	Emergency number	Comment
Malaysia	Malaysia National Poison Centre (NPC) Universiti Sains Malaysia	11800 Penang	+60 (0)4 6536 999 (Mon-Fri 8am-10pm; Sat, Sun & Public Holiday 8am-5pm)	

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to Industry Code of Practice on chemicals classification and hazard communication (2019)

Skin sensitisation, Category 1

H317

2.2. Label elements

Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2019)

Hazard pictograms (GHS MY)



Signal word (GHS MY)

Hazard statements (GHS MY)

Precautionary statements (GHS MY)

Warning

H317 - May cause an allergic skin reaction

P280 - Wear protective gloves, protective clothing, eye protection, face protection

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3. Other hazards that do not result in classification

No additional information available

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Industry Code of Practice on chemicals classification and hazard communication (2019)
organic polysulphide	CAS-No.: 68425-15-0	1 – 5	Flam. Liq. Not classified Acute Tox. Not classified (Dermal) Skin Sens. 1, H317
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1	0.1 – 1	Repr. 2, H361f Aquatic Acute Not classified Aquatic Chronic 3, H412

SECTION 4: First-aid measures

4.1. Description of necessary first aid measures

First-aid measures general	Take off immediately all contaminated clothing.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	Take off immediately all contaminated clothing and wash it before reuse. Wash skin with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	Symptoms may be delayed.
Symptoms/effects after skin contact	May cause an allergic skin reaction.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Carbon dioxide. Dry powder. Alcohol-resistant foam. Water spray.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Physicochemical hazards arising from the chemical

Explosion hazard	No direct explosion hazard.
Reactivity in case of fire	Decomposition products may be a hazard to health.
Hazardous decomposition products in case of fire	Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire fighters

Firefighting instructions	Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment, and emergency procedures

General measures

Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Protective equipment

Wear recommended personal protective equipment.

Emergency procedures

Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures

Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Methods and Equipment for Containment and Cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapours, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Keep in a cool, well-ventilated place away from heat.

Storage conditions

Keep cool. Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep only in original container.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

No additional information available

Exposure limit values for the other components

No additional information available

8.1.1 Biological monitoring

Monitoring methods

A specific exposure sampling method is not available.

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

8.3. Individual protection measures, such as PPE

Hand protection:

Avoid repeated or prolonged skin contact. Nitrile rubber gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	Pasty.
Colour	Yellow
Odour	characteristic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Vapour pressure	No data available
Relative vapour density at 20°C	No data available
Relative density	No data available
Solubility	Material insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Density	0.9 g/cm ³ (20 °C)

SECTION 10: Stability and reactivity

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

Reactivity	The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use
Conditions to avoid	Direct sunlight, Extremely high or low temperatures
Incompatible materials	Strong acids, Strong bases, Strong oxidizing agents
Hazardous decomposition products	Thermal decomposition generates :carbon oxides, Toxic gases, Toxic vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

organic polysulphide (68425-15-0)	
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Skin corrosion or irritation	Not classified
Serious eye damage or eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (STOT) – single exposure	Not classified
Specific target organ toxicity (STOT) – repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified
Other information	Avoid release to the environment.

organic polysulphide (68425-15-0)	
Partition coefficient n-octanol/water (Log Pow)	> 6.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	8.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
LC50 - Fish [1]	> 100 mg/l
LC50 - Other aquatic organisms [1]	> 100 mg/l
Bioconcentration factor (BCF REACH)	411

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

12.2. Persistence and degradability

Renolit LX P LT	
Persistence and degradability	No additional information available.
organic polysulphide (68425-15-0)	
Persistence and degradability	Not readily biodegradable in water.

12.3. Bioaccumulative potential

Renolit LX P LT	
Bioaccumulative potential	Not established.
organic polysulphide (68425-15-0)	
Partition coefficient n-octanol/water (Log Pow)	> 6.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	8.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
Bioconcentration factor (BCF REACH)	411

12.4. Mobility in soil

Renolit LX P LT	
Mobility in soil	No additional information available
organic polysulphide (68425-15-0)	
Surface tension	Not applicable, OECD 115: Surface Tension of Aqueous Solutions
Partition coefficient n-octanol/water (Log Pow)	> 6.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	8.5 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Adsorbs into the soil.

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal information

13.1. Disposal methods

Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	Avoid release to the environment.
Additional information	Do not re-use empty containers.

SECTION 14: Transportation information

In accordance with ADR / IMDG / IATA / RID /

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental regulations specific for the hazardous chemical in question

Regulation	Component/ Mixture
EHS Notification and Registration Scheme	Not applicable
EHS Notification and Registration Scheme	Renolit LX P LT
Environmental Quality (Chlorofluorocarbons Prohibition) Order 1993	Renolit LX P LT
Environmental Quality (Industrial Effluent) Regulations 2009	Renolit LX P LT
Environmental Quality (Scheduled Wastes) Regulations 2007	Renolit LX P LT
Control of Industrial Major Accident Hazards Regulations 1996	Renolit LX P LT
Prohibition of Use of Substance Order 1999	Renolit LX P LT



Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

Use and Standards of Exposure of Chemical Hazardous to Health Regulations 2000		Renolit LX P LT
Chemical Weapons Convention Act		Renolit LX P LT
Corrosive and Explosive Substances and Offensive Weapons Act		Renolit LX P LT
Dangerous Drugs Act		Renolit LX P LT
Pesticides Act		Renolit LX P LT
Petroleum (Safety Measures) Act		Renolit LX P LT
Poisons Act 1952		Renolit LX P LT
Poisons (Psychotropic Substances) Regulations 1989		Renolit LX P LT

15.2. International agreements

No additional information available

SECTION 16: Other information

Version	1.0
Issue date	14/7/2025
Revision date	14/07/2025

Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

Abbreviations and acronyms

ACGIH - American Conference of Government Industrial Hygienists
 ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 BCF - Bioconcentration factor
 BLV - Biological limit value
 BOD - Biochemical oxygen demand (BOD)
 CAS-No. - Chemical Abstract Service number
 CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
 COD - Chemical oxygen demand (COD)
 CSA - Chemical safety assessment
 DMEL - Derived Minimal Effect level
 DNEL - Derived-No Effect Level
 EC-No. - European Community number
 EC50 - Median effective concentration
 ED - Endocrine disruptor
 EN - European Standard
 EWC - European waste catalogue
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 IMDG - International Maritime Dangerous Goods
 LC50 - Median lethal concentration
 LD50 - Median lethal dose
 LOAEL - Lowest Observed Adverse Effect Level
 Log Kow - Partition coefficient n-octanol/water (Log Kow)
 Log Pow - Partition coefficient n-octanol/water (Log Pow)
 MAK - maximum workplace concentration
 NOAEC - No-Observed Adverse Effect Concentration
 NOAEL - No-Observed Adverse Effect Level
 NOEC - No-Observed Effect Concentration
 N.O.S. - Not Otherwise Specified
 OECD - Organisation for Economic Co-operation and Development
 OEL - Occupational Exposure Limit
 OSHA - Occupational Safety Health Administration
 PBT - Persistent Bioaccumulative Toxic
 PNEC - Predicted No-Effect Concentration
 PPE - Personal protection equipment
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS - Safety Data Sheet
 STP - Sewage treatment plant
 TF - Technical function
 ThOD - Theoretical oxygen demand (ThOD)
 TLM - Median Tolerance Limit
 TWA - Time Weighted Average
 VOC - Volatile Organic Compounds
 vPvB - Very Persistent and Very Bioaccumulative
 UFI - Unique Formula Identifier
 None.

Other information

Full text of H-statements	
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment – Acute Hazard Not classified
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3



Renolit LX P LT

Safety Data Sheet

According to ICOP 2014

Full text of H-statements	
Flam. Liq. Not classified	Flammable liquids Not classified
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H317	May cause an allergic skin reaction
H361f	Suspected of damaging fertility
H412	Harmful to aquatic life with long lasting effects

SDS_MY_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.